


DIV. 81



PATENT OFFICE  
AUG 2 1960  
DIVISIONS 81 82 83

# ALLISON **APO** CABINETS for The **PROFESSIONAL SUITE**

Feb. 6.  
1960

1000 and 1100 Series  
DESIGNED for  
Economy and Efficiency



Less Fatigue




SAVES TIME


for

- ✓ Patient
- ✓ Dentist
- ✓ Physician

RETURN TO  
DESIGN DIV.







A COMPLETE LINE OF  
MODULAR CABINETS

by ALLISON for  
MAXIMUM WORKING CONVENIENCE

## APO 1000-1100 Series

Allison Professional Office furniture is designed and styled to enable each Dentist or Physician to plan and lay out his office to his individual requirements. Time and motion studies reveal that fatigue can be reduced considerably if operatories, laboratories and other areas are arranged to give maximum efficiency. Comfortable working heights, convenient drawer locations, adequate storage facilities are all engineered into APO units.


All exposed surfaces of APO Cabinets are Doe-grain pattern of FIBERESIN. A warm and inviting appearance to enhance the beauty of any office in new construction or remodeling work. FIBERESIN's attractiveness isn't its only asset—the smooth seamless surface is impervious to the liquids used in a Professional office—it means "easy-to-clean" and "maintenance-free" service.

Over 25 different cabinets offering hundreds of combinations, assure the right arrangement for each office. Each cabinet can be placed exactly where it will offer the best utility and each wall area can be fully utilized so there is no unused floor space.

For complete information on how you can improve patient service and reduce unnecessary motion and fatigue, consult with your Dental or Physicians' Supply Dealer.



ALLISON APO for the Laboratory



ALLISON APO for the Operatorio



ALLISON APO for the Examining Room

## FINE FURNITURE CONSTRUCTION

Although the APO series is basically cabinet construction ALLISON designers have spared nothing to incorporate the features of fine furniture construction that highlights other ALLISON Professional Furniture lines. ALLISON APO brings to the Professional Office custom design and workmanship at standard production prices. The amazingly low price of the average installation enables everyone to enjoy the efficiency, the lasting beauty, plus the many exclusive extras that only APO offers.

## VARYING WORK HEIGHTS

Three different base sizes enable you to select from a variety of work heights. The STANDARD five inch base provides a work top 38 inches from the floor; the two inch base offers a work top 35 inches from the floor; and the eight inch base offers a higher work height at 41 inches. The two inch and eight inch bases are available at slight extra cost.

## FULL STORAGE HEIGHT

APO free standing units give you maximum storage area for your rent investment. You get the advantage of full storage height... there are no vacant areas under cabinets. Every square foot of space from the floor to the work tops is available for you to use as best suits your particular requirements.

## ALLISON APO DESIGN— Result of Research

Exclusive and distinctive APO design was developed for the Professional Office and Clinic based on exhaustive research of plans and specifications for modern Professional Buildings. In addition, consideration was given to older buildings now being remodeled and APO cabinets are designed to adapt readily to the average size rooms in these buildings.

Design and Style of all Allison APO Units are subject to change as necessary.

ALLISON APO CABINETS\*

\*ALLISON PROFESSIONAL OFFICE FURNITURE

TOUGH...SOLID...INDESTRUCTIBLE **fiberesin**

**FIBERESIN** is a solid plastic material molded under controlled heat and high pressure. The panels are identical on front and back except for the satin finish Doe-Grain pattern on the front surface. The materials on both sides are the same as to type and quantity, providing exact chemical and structural balance. Physically identical top and bottom surfaces insure a warp free board and forms an impenetrable barrier against moisture absorption. FIBERESIN panels are twist and warp-free... there is no possibility of delamination or glue line separation.

**DURABILITY:** FIBERESIN APO cabinets can literally be installed and forgotten as the FIBERESIN surface and edge completely withstand use and abuse. Tops cannot be "ringed" by wet bottles and glasses. FIBERESIN is not affected by boiling water,

alcohol, grease, silver nitrate, inks, soaps, detergents and other products common to Professional Office and clinic use.


**BEAUTY:** APO cabinets constructed of FIBERESIN are truly beautiful units. The flat ripple free surfaces and satiny finish reflect the elements of fine furniture construction. FIBERESIN never adopts the brassy sheen that tends to cheapen the appearance of some materials.

**MAINTENANCE:** APO cabinets are easy to care for. Once over lightly with a damp cloth and the FIBERESIN surfaces look like new. Badly soiled surfaces are more easily cleaned with any of the cleaner-waxes available. Because of the fabulous durability of FIBERESIN it never needs refinishing... a most important feature when overall costs are considered.

**DOE-GRAIN FINISH...** a beautiful blend of Tan, White and Gray developed especially for APO Cabinets in cooperation with leading color experts and decorators. This striking color harmonizes perfectly with modern Professional colors and decor. A welcome color to any Suite.



## BASE CABINETS



**1000—BASE CABINET**  
Two doors, cupboard with shelf.

**1002—BASE CABINET**  
Two drawers 3 3/4" high, two doors, cupboard with shelf.

**1003—BASE CABINET**  
Three drawers 1 7/8" high, two doors, cupboard with shelf.

### ALL BASE CABINETS MEASURE—

23" wide, 18" deep, 38" to working surface. Furnished without tops.



**1004—BASE CABINET**  
Four drawers; three 1 7/8" high, one 3 3/4" high. Two doors, roomy cupboard.


**1006—BASE CABINET**  
Six drawers 3 3/4" high.

**1008—BASE CABINET**  
Eight drawers; six 1 7/8" high, two 3 3/4" high.



**1009—SINK CABINET**  
Swinging hamper door. Two door cupboard section. Includes linen hamper.

**1010—CORNER CABINET**  
Corner cabinet, swinging hamper door. Single door cupboard section. Allow 27" on each wall. Includes linen hamper. (Individual top)



## FILLERS

For use when less than 23" is available for placement of cabinet. Use appropriate standard width filler which can be fitted to exact dimensions when installed.

### BASE CABINET FILLERS AND BASES

36-11/16" high

1090 6" panel

1091 12" panel

1092 18" panel

1093 22 7/8" panel

1094 12 1/2" filler panel with 10 7/8" door. (If additional filler panel is needed, add from above.)

## FILLER APRONS

(For use when front apron is desired on overhanging top of Base or Hanging Base Cabinets.)

1096 12" Filler Apron

1097 22 7/8" Filler Apron


## "SPECIAL PURPOSE" CABINETS



**1011—"SPECIAL PURPOSE" CABINET**  
Knee Hole Unit. 7 3/8" high, one drawer 3 3/4" high. For use between two base cabinets, hanging base cabinets or on end with 1033 panel.

**1012—"SPECIAL PURPOSE" CABINET**  
Hinged Lift Top. Enclosed working and storage space for Hydrocolloid unit, amalgamator or welder with double electrical outlet. Two doors, cupboard. Unit has individual top.

A variety of special units are available that offer additional flexibility in APO cabinet arrangement. These units incorporate specialized work and storage areas that complete the APO installation to the individual requirements of the dentist or physician.



**1013—"SPECIAL PURPOSE" CABINET**  
Upper Section for Eight Sliding Trays, combination sliding door-shelf. Three drawers 3 3/4" high.

**5013—TRAY**  
Stainless Steel Tray for above, 9 3/4" x 13 1/2" x 3/8".

**1014—"SPECIAL PURPOSE" CABINET**  
Extension Instrument Cabinet. Three drawers: two 1 7/8" high, one 3 3/4" high. Two pull-out handles. Two door cupboard section. Drawer compartment can be extended from cabinet 10", drawers can be extended 8", instruments easily accessible, top of extension provides work area. (For use between Base Cabinets only—Nos. 1000 thru 1010.)

## END PANELS

**1031—END PANEL**  
Fibersin panel, to cover exposed end of "Base" Cabinets and "Special Purpose" Cabinets.


**1034—COVER PANEL**  
Fibersin panel, to cover exposed end of Base Cabinet when joined to 1011 Knee-Hole Unit.

**1033—END PANEL**  
Fibersin panel, to support exposed end of 1011 Knee-Hole Unit.

**1035—COVER PANEL**  
Fibersin panel, to cover exposed end of Base Cabinet when joined to Hanging Base Cabinet.


## HANGING BASE CABINETS

All Hanging Base Cabinets measure 23" wide, 18" deep, 15 1/2" high. Can be wall mounted or used between all Base Cabinets except "Special Purpose" Cabinets.




**1109—HANGING SINK CABINET**  
Designed especially for use with Hanging Base Cabinet Series. However, may also be used between Standing Base Cabinets

**1153—HANGING BASE CABINET**  
Three drawers: one 1 7/8" high, two 3 3/4" high.



**1154—HANGING BASE CABINET**  
Four drawers 1 7/8" high



**1163—HANGING BASE CABINET**  
Sliding work shelf. Three drawers 1 7/8" high.

**1171—END PANEL**  
Fibersin panel to cover exposed end of Hanging Base Cabinet.

**1173—COVER PANEL**  
Fibersin panel to cover exposed end of Hanging Base Cabinet where joined to 1011 Knee-Hole Unit.

### HANGING BASE CABINET FILLERS

15 1/2" high

1190—6" panel

1191—12" panel

1192—18" panel


1193—22 7/8" panel

**FILLER APRON**  
(See Nos. 1096 and 1097 on opposite page)


## FIBERESIN TOPS

Order by number shown.


APO Cabinet Tops are available for the individual unit or in continuous lengths up to 96". (See paragraph on "How to Measure" for definite instructions on measuring tops.)




**1080—FIBERESIN TOP**  
With 4" curb (back splash)—specify length.




**1084—FIBERESIN TOP**  
Corner cabinet top with 4" curb (back splash). Allow 27" along each wall.



**1085—FIBERESIN TOP**  
With 4" reagent shelf extended beyond 4" curb. Allow 21 1/2" CABINET DEPTH for this top.



**1086—FIBERESIN TOP**  
Corner cabinet top with 4" reagent shelf extended beyond back. Allow 30 1/2" along each wall.



**1082—FIBERESIN TOP**  
With 4" reagent shelf and 4" curb—specify length.




**1087—FIBERESIN END-CURB**  
4" end curb, 18" deep for either end of continuous unit. (Specify which end.)

### 1088—FILLER

For use as a spacer in the open area behind cabinet when Nos. 1085 and 1086 Tops are used. (Only necessary when cabinet end is exposed—specify which end.)


## WALL CABINET



**1018—WALL CABINET**  
Two sliding translucent doors, adjustable shelf, cabinet 18" high, 23" wide, 10" deep.

**1028—WALL CABINET**  
Same as 1018 above except cabinet is 30" high.

## SINKS INSTALLED



**5032** Stainless Steel sink and strainer, 6" deep.

**5033** Porcelain Sink.


## FAUCETS INSTALLED



**5025** Two handle mixing faucet with aerator.



**5026** Single handle mixing faucet with aerator.



**5027** Same as above with soap dispenser.



**5028** Foot-operated valve with gooseneck.

## ACCESSORIES

**5041** AIR COCK (specify location).

**5042** GAS COCK (specify location).

**5045** DOUBLE ELECTRICAL OUTLET (specify location).


**5049** LAZY SUSAN for 1010 Corner Cabinet.

**5050** SOAP DISPENSER


A COMPLETE LINE OF MODULAR CABINETS  
by ALLISON for  
MAXIMUM WORKING  
CONVENIENCE



## DRAWER INSERTS



**1024—DRAWER SPACER**  
Hardwood, for use in drawer behind dental tray.




**1025—BOTTLE RACK INSERT**  
Accordion type, metal, enamelled white. Stores bottles at convenient angle.

## DENTAL TRAYS




5051 Tray



5052 Tray

Highest quality Vitrolite. All types measure 4" x 8" and are available in styles shown.



5053 Tray





5054 Tray



5055 Instrument Tray

Use these scaled blocks for laying out and measuring your APO Cabinet installation on paper.  
Scale:  $\frac{1}{4}" = 1'$



## HOW TO MEASURE

### CABINETS

All APO Base Cabinets are made as individual units and can be combined or arranged at time of installation. Corner cabinet requires 27" of space on each wall. All other cabinets occupy 23" of wall space.

### TOPS

Tops can be fitted individually or continuous up to 96" in length. To figure top length, allow 23" for each cabinet except 1010 Corner Cabinet which requires 27" on each wall and has individual top.

If one end of cabinet is exposed, add 1" to top length. If two ends of cabinets are exposed, add 2" to top length.

### END PANELS





End Panels are used when either end of cabinet is exposed. If cabinets extend from wall to wall, end panels are not needed. One end against wall and one end exposed requires one end panel, adds 1" to top length. Both ends of cabinets exposed requires two end panels, adds 2" to top length.

### COVER PANELS

Cover Panels are used to cover exposed ends when cabinets of different heights are used side by side. Does NOT add to top length.

### FILLER PANELS

Filler Panels are used when less than 23" is available for placement of cabinet. Add filler panel length to top length. ALL MEASUREMENTS SHOULD BE MADE FROM LEFT TO RIGHT FACING CABINETS.





## TYPICAL APO INSTALLATIONS

Illustrations of APO Units shown on this page are for your convenience when ordering APO Furniture. Note placement of end panels and filler panels, etc. Follow this procedure when ordering your installation—always remember — the ends of base cabinets must always be faced with an end panel.

End panels are not necessary between base cabinets when such cabinets are joined to make a continuous unit.

To avoid confusion use the handy special order form when laying out your office or treatment room.





# easy to install...easy to change...a "do it yourself" grouping.

Every ALLISON APO Cabinet can be readily positioned exactly where you want it... installations may be made easily and with minimum effort. A wide variety of arrangements is possible with this flexible line... truly a "do it yourself" grouping.



Mounting strips for APO Wall Cabinets are easily installed. The entire APO installation process is a simple "do it yourself" type of project.








No need to subcontract job of installing APO cabinets. A minor knowledge of cabinet installation techniques and a few handy tools are the only requisites needed for rapid setting up of APO furniture.



A few simple steps and your APO furniture is ready for immediate use. Installation time is cut to the barest minimum.

APO Base Units may be moved readily with minimum effort if a different location is desired. Simply disconnect plumbing and utilities, then move free standing units to new location.

## ALLISON APO CABINETS for EVERY PROFESSIONAL SUITE



- OPERATORIES
- EXAMINING ROOMS
- LABORATORIES
- NURSES STATIONS
- UTILITY ROOMS

There is an APO Cabinet Combination for every installation... every purpose. A few of the many possibilities are illustrated to show how every room or area becomes a more efficient work unit in the Professional Suite.

Your supply dealer is equipped to assist you in the planning and laying-out of your suite.

### SPECIAL ORDER FORM

The handy APO Order Form has been designed to guide you when planning and ordering APO cabinet groupings. Use it. Additional copies will be mailed upon request.

RETURN TO  
DESIGN DIV.


**W. D. ALLISON COMPANY**

1133 BURDSAL PARKWAY  
INDIANAPOLIS 23, INDIANA

### PLANNING SERVICE

Your Allison Dealer is prepared to assist you in the planning and layout of your Office, Operator, Clinic or Laboratory. Call him today and let him show you how you can profitably use APO Cabinets to reduce unnecessary motion and fatigue.

a SHAMPAINE  industry



# ALLISON APO

## PROFESSIONAL OFFICE FURNITURE PRICE LIST

...

MODULAR CABINETS AND ACCESSORIES FOR  
THE PROFESSIONAL OFFICE AND LABORATORY

**Prices Effective February 5, 1960**

All prices subject to change without notice.

W. D. ALLISON CO.


1133 BURDSAL PARKWAY

INDIANAPOLIS 23, IND.

a SHAMPAINE  Industry

- All orders subject to acceptance at Factory and subject to prices prevailing at time of shipment. Prices shown are f. o. b. Indianapolis, Ind. and Zone Prices. They include packing for domestic transportation. Terms: 2-10-30. Minimum order \$7.00.
- We reserve the right to modify patterns and design of equipment illustrated because of latest design trends or because of factors beyond our control.
- All orders are non-cancellable after job is put into production.
- Cabinets and accessories must not be returned without specific authority from us.
- We can not assume responsibility for damage or loss in transit. Our responsibility for safe delivery ceases when transportation company accepts shipment in good order.
- All merchandise should be unpacked and inspected within 10 days. Any damage or loss must be reported to transportation company within that period.
- All A. P. O. Cabinets finished in beautiful DOE-GRAIN COLOR FIBERESIN.

For information on Auxiliary Cabinets, Mobile Cabinets, Examining Room Furniture and other Professional Furniture — Write  
W. D. ALLISON COMPANY



## ZONES

### ZONE 1:

Illinois, Indiana, Kentucky, Michigan, Ohio, West Virginia, and Wisconsin.









### ZONE 2:

Alabama, Arkansas, Colorado, Connecticut, Delaware, Florida, Georgia, Iowa, Kansas, Louisiana, Maine, Maryland, Massachusetts, Minnesota, Mississippi, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, North Dakota, Oklahoma, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas (Eastern), Vermont, Virginia, and Washington, D. C.

### ZONE 3:

Arizona, California, Idaho, Montana, Nevada, New Mexico, Oregon, Texas (Western), Utah, Washington, and Wyoming.



	FOB Indianapolis Each	ZONE 1 Each	ZONE 2 Each	ZONE 3 Each
<b>BASE CABINETS</b> (Without Tops) 23" wide - 18" deep 38" to working surface				
 1000				
 1002				
 1003				
 1004				
 1006				
 1008				
 1009				
 1010				
1000 BASE CABINET — Two Doors - adjustable shelf .....	\$ 87.50	\$ 90.50	\$ 92.00	\$ 94.00
1002 BASE CABINET — Two drawers 3 3/4" high. Two Doors - adjustable shelf .....	105.00	108.00	109.50	111.50
1003 BASE CABINET — Three Drawers 1 7/8" high. Two Doors - adjustable shelf. ....	118.00	121.00	122.50	124.00
1004 BASE CABINET — Four Drawers - Three 1 7/8" high - One 3 3/4" high. Two Doors - adjustable shelf ....	132.50	135.50	137.00	138.50
1006 BASE CABINET — Six Drawers 3 3/4" high .....	140.00	143.00	144.50	146.00
1008 BASE CABINET — Eight Drawers - Six 1 7/8" high - Two 3 3/4" high .....	160.00	163.00	164.50	166.00
1009 SINK CABINET — Two Doors, swinging hamper door and towel hamper .....	100.00	103.00	104.50	106.00
1010 CORNER CABINET — One Door, swinging hamper door and towel hamper .....	130.00	134.00	136.00	138.00





**BASES**

(Instead of standard 5" base)



2" Base - add per unit .....	\$ 2.00	\$ 2.00	\$ 2.00	\$ 2.00
8" Base - add per unit .....	\$ 2.00	\$ 2.00	\$ 2.00	\$ 2.00

















**SPECIAL PURPOSE CABINETS**

(Without tops except where indicated  
otherwise)

 1011				
 1012				
 1013				
 1014				
1011 KNEE HOLE UNIT — 7 3/8" high - One Drawer 3 3/4" high .....	\$ 38.50	\$ 41.50	\$ 42.50	\$ 43.50
1012 LIFT TOP UNIT — Supplied with top - Two Doors - adjust- able shelf upper section 11 3/4" high x 21 1/2" wide x 17" deep - furnished with electrical outlet. Can be used for welder, hydrocolloid, amalgamator, sterilizer, etc. ....	126.00	129.00	130.50	132.50
1013 TRAY UNIT — Sliding Door - Three Drawers 3 3/4" high - upper section provides space for eight trays - sliding door may be used for work surface .....	120.00	123.00	124.50	126.00
5013 STAINLESS STEEL TRAYS — For 1013 - Tray Unit above 9 3/4" x 13 1/2" x 5/8" .....	5.25	5.25	5.25	5.25
1014 INSTRUMENT CABINET — Three drawers - two 1 7/8" high - one 3 3/4" high - two doors, adjustable shelf - drawer section can be extended 10" out of cabinet, has separate work sur- face; drawers extend 8" .....	225.00	229.00	230.50	232.00
1024 DRAWER SPACER — For use in drawers as spacer behind Dental Trays .....	.95	.95	.95	.95
1025 BOTTLE RACK INSERT .....	5.00	5.00	5.00	5.00

**END PANELS**

 1031				
 1033				
1031 FIBERESIN PANEL — To Cover exposed end of Base Cabinets and "Special Purpose" Cabinets .....	\$ 14.75	\$ 15.50	\$ 16.25	\$ 17.25
1033 FIBERESIN PANEL — To support exposed end of 1011 Knee Hole Unit .....	22.50	23.50	24.50	25.50

	FOB Indianapolis Each	ZONE 1 Each	ZONE 2 Each	ZONE 3 Each
<b>COVER PANELS</b>				
 1034				
 1035				
1034 FIBERESIN PANEL — To cover exposed end of Base Cabinet when joined to 1011 Knee Hole Unit ....	\$ 12.50	\$ 13.25	\$ 14.00	\$ 15.00
1035 FIBERESIN PANEL — To cover exposed end of Base Cabinet when joined to Hanging Base Cabinet ....	9.00	9.75	10.50	11.50
<b>WALL CABINETS</b> 23" Wide - 10" Deep				
 1018				
1018 Two Sliding Translucent Doors — Adjustable shelf - 18" high .....	\$ 67.50	\$ 70.00	\$ 71.50	\$ 73.50
1028 - Same as 1018 above except 30" high .....	84.50	87.00	89.00	90.50
<b>HANGING BASE CABINETS</b> (Without Tops) 23" Wide, 18" Deep, 15 1/2" High.				
 1100				
 1109				
 1153				
 1154				
 1163				
1100 HANGING BASE CABINET — Two door cupboard with shelf .....	\$ 51.00	\$ 53.50	\$ 54.50	\$ 56.00
1109 HANGING SINK CABINET — Fibersin panel on front .....	40.00	42.50	43.50	45.00
1153 HANGING BASE CABINET — Three drawers; one 1 7/8" high, two 3 3/4" high .....	72.50	75.00	76.00	77.50
1154 HANGING BASE CABINET — Four drawers 1 7/8" high .....	86.00	88.50	90.00	91.50
1163 HANGING BASE CABINET — Top opening sliding work shelf - three drawers 1 7/8" high .....	85.00	87.50	89.00	90.50
<b>END PANELS</b>				
 1171				
1171 FIBERESIN PANEL — To cover exposed end of Hanging Base Cabinet .....	\$ 9.00	\$ 9.50	\$ 9.75	\$ 10.50
<b>COVER PANEL</b>				
 1173				
1173 FIBERESIN PANEL — To cover exposed end of Hanging Base Cabinet when joined to 1011 Knee Hole Unit .....	\$ 5.00	\$ 5.50	\$ 5.75	\$ 6.25
<b>FIBERESIN TOPS</b>				
 1080				
 1082				
 1084				
 1085				
 1086				
 1087				
1080 TOP — With 4" Curb - Specify length .....	\$10.00 per ft.	—	—	—
1082 TOP — With 4" Reagent Shelf and 4" Curb - Specify length .....	12.50 per ft.	—	—	—
1084 CORNER CABINET TOP — With 4" Curb .....	35.00 Each	—	—	—
1085 TOP — With 4" Reagent Shelf extended beyond 4" Curb - 21 1/2" Cabinet depth - Specify length .....	14.00 per ft.	—	—	—
1086 CORNER CABINET TOP — With 4" Reagent Shelf extended beyond 4" Curb. Allow 30 1/2" along each wall ....	47.50 Each	—	—	—
1087 END CURB — 18" long (specify end) .....	5.00 Each	—	—	—
1088 FILLER — For use with 1085 or 1086 Tops when Cabinet end is exposed - specify which end .....	5.00 Each	—	—	—



FILLER PANELS	FOB Indianapolis Each	ZONE 1 Each	ZONE 2 Each	ZONE 3 Each
Base Cabinet Fillers and Bases				
1090 - 6" Wide .....	\$ 8.00	\$ 8.50	\$ 9.00	\$ 10.00
1091 - 12" Wide .....	12.00	12.75	13.50	14.50
1092 - 18" Wide .....	16.00	16.75	17.50	18.50
1093 - 22 $\frac{7}{8}$ " Wide .....	21.50	22.50	23.25	24.25
1094 - 12 $\frac{1}{8}$ " Filler with 10 $\frac{7}{8}$ " Door .....	25.00	26.00	26.75	27.75

**HANGING BASE CABINET FILLERS**

1190 - 6" Wide .....	\$ 5.00	\$ 5.50	\$ 5.75	\$ 6.50
1191 - 12" Wide .....	7.00	7.50	7.75	8.50
1192 - 18" Wide .....	9.50	10.00	10.25	11.00
1193 - 22 $\frac{7}{8}$ " Wide .....	12.50	13.50	14.25	15.25

**FILLER APRON**

1096 - 12" Apron .....	\$ 3.50	\$ 3.50	\$ 3.50	\$ 3.50
1097 - 22 $\frac{7}{8}$ " Apron .....	4.75	4.75	4.75	4.75
1098 - 23" Box Filler				
Front - for use between two Base Cabinets, to join adjacent Cabinets together and secure Top to Filler .....	16.00	16.50	17.00	17.75



1098

**FAUCETS**

(Installed)

	FOB Indianapolis Each
5025 Two handle Mixing Faucet .....	\$17.00
5026 Single Handle Mixing Faucet .....	31.00
5027 Same as 5026 above with Soap Dispenser .....	41.00
5028 Foot operated Valve with Gooseneck ....	62.50

**SINKS**

(Installed)

5032 Stainless Steel 6" Deep .....	\$41.50
5033 Porcelain .....	30.00

**ACCESSORIES**

(Specify Location)

5041 Air Cock .....	\$ 5.30
5042 Gas Cock .....	5.30
5045 Double Electric Outlet .....	6.00
5049 Lazy Susan for 1010 Corner Cabinet .....	32.50
5050 Foot Operated Vestal Soap Dispenser ....	24.00

**DENTAL TRAYS**

(Minimum Order \$7.00)

5051 Tray .....	\$ 1.25
5052 Tray .....	1.25
5053 Tray .....	1.50
5054 Tray .....	1.25
5055 Tray .....	1.25
5057 Lead Lined Film Box .....	10.00
5058 Adhesive Backed Bumper - 5 ft. Strip ....	1.60
5059 $\frac{1}{2}$ Oz. Amber Medicine Bottle .....	.85
5060 $\frac{1}{2}$ Oz. Clear Medicine Bottle .....	.85
5061 Sheet of gummed Labels for Medicine Bottles .....	.10
	Per Dozen
5062 Drawer Liners 20" x 12" .....	\$ 1.00
	Each
5063 Cement Insert .....	\$12.00
5064 Burr Block .....	5.50

**HOW TO MEASURE FOR APO CABINETS****CABINETS**

All APO Base Cabinets are made as individual units and can be combined or arranged at time of installation. Corner cabinet requires 27" of space on each wall. All other cabinets occupy 23" of wall space.

**TOPS**

Tops can be fitted individually or continuous up to 96" in length. To figure top length, allow 23" for each cabinet except 1010 Corner Cabinet which requires 27" on each wall and has individual top.

If one end of cabinet is exposed, add 1" to top length. If two ends of cabinets are exposed, add 2" to top length.

**END PANELS**

End Panels are used when either end of cabinet is exposed. If cabinets extend from wall to wall, end panels are not needed. One end against wall and one end exposed requires one end panel, adds 1" to top length. Both ends of cabinets exposed requires two end panels, adds 2" to top length.

**COVER PANELS**

Cover Panels are used to cover exposed ends when cabinets of different heights are used side by side. Does NOT add to top length.

**FILLER PANELS**

Filler Panels are used when less than 23" is available for placement of cabinet. Add filler panel length to top length.

ALL MEASUREMENTS SHOULD BE MADE FROM LEFT TO RIGHT FACING CABINETS.

**NOTE: For Information on****AUXILIARY CABINETS****MOBILE CABINETS****EXAMINING ROOM FURNITURE****and OTHER PROFESSIONAL FURNITURE****WRITE: W. D. ALLISON COMPANY**

Use the handy APO Order Form when entering orders for APO UNITS — Send for a Supply!